		SAFE	TY DATA SHEET	ര്	
according to Commission Regulation (EU) 2020/878 as amended SYSTEM					
		F	RAKO GF DRY		
	on date	2017.03.20			
	on date	2023.07.31	Version 3		
		of the substance/mixture	e and of the company/undertaking		
1.1.	Product identifier		RAKO GF DRY		
	Substance / mixture		mixture		
1.2.	UFI Delevent identified	l waaa of the substance or	WF23-U066-U203-A4GT		
1.2.	Mixture's intended us		mixture and uses advised against		
			Dry-mix mortar for domestic and professional use.		
	Mixture uses advised	l against	not available		
	EuPCS		PC-CON-4		
1.3.	Details of the supp	olier of the safety data she	eet		
	Manufacturer				
	Name or trade	e name	Cemix Hungary Kft.		
	Address		8200 Veszprém Házgyári út 9., Hungary		
	Phone		+36 88 590 500		
	E-mail		vevoszolgalat@cemix.hu		
	Web address		www.cemix.hu		
1.4.	Emergency telepho	one number			
	5 / 1		n Poison Center (ETTSZ): +36 80 201-199 (0-24)		
	Skin Irrit. 2, H315 Skin Sens. 1B, H317	,			
	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335				
	Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335		nts is given in the section 16.		
2 2	Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335 Full text of all classifi Most serious adver Causes skin irritation	ications and hazard stateme	5	n.	
2.2.	Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335 Full text of all classifi Most serious adver Causes skin irritation Label elements Hazard pictogram Signal word Danger Hazardous substan	Fications and hazard statement rse effects on human heal n. May cause an allergic skin	th and the environment	n.	
2.2.	Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335 Full text of all classifi Most serious adver Causes skin irritation Label elements Hazard pictogram Signal word Danger Hazardous substan Portland cement	Fications and hazard statement rse effects on human heal n. May cause an allergic skin Coordination nces	th and the environment	n.	
2.2.	Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335 Full text of all classifi Most serious adver Causes skin irritation Label elements Hazard pictogram Signal word Danger Hazardous substan Portland cement Hazard statements	Fications and hazard statement rse effects on human heal n. May cause an allergic skin Coordination for the statement for	th and the environment	n.	
2.2.	Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335 Full text of all classifi Most serious adver Causes skin irritation Label elements Hazard pictogram Signal word Danger Hazardous substan Portland cement Hazard statements H315	Fications and hazard statement rse effects on human heal n. May cause an allergic skin for the statement for the statement	Ith and the environment reaction. Causes serious eye damage. May cause respiratory irritatio	n.	
2.2.	Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335 Full text of all classifi Most serious adver Causes skin irritation Label elements Hazard pictogram Signal word Danger Hazardous substan Portland cement Hazard statements H315 H317	Fications and hazard statement rse effects on human heal n. May cause an allergic skin Toces Causes skin irritation. May cause an allergic ski	in reaction.	n.	
2.2.	Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335 Full text of all classifi Most serious adver Causes skin irritation Label elements Hazard pictogram Signal word Danger Hazardous substan Portland cement Hazard statements H315 H317 H318	Fications and hazard statement rse effects on human heal n. May cause an allergic skin for the statement Causes skin irritation. May cause an allergic ski Causes serious eye dama	in reaction. age.	n.	
2.2.	Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335 Full text of all classifi Most serious adver Causes skin irritation Label elements Hazard pictogram Signal word Danger Hazardous substan Portland cement Hazard statements H315 H317 H318 H335	Fications and hazard statement rse effects on human heal n. May cause an allergic skin Toces Causes skin irritation. May cause an allergic ski Causes serious eye dama May cause respiratory irr	in reaction. age.	n.	
2.2.	Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335 Full text of all classifi Most serious adver Causes skin irritation Label elements Hazard pictogram Signal word Danger Hazardous substan Portland cement Hazard statements H315 H317 H318 H335 Precautionary state	Tications and hazard statement rse effects on human heal n. May cause an allergic skin Toces S Causes skin irritation. May cause an allergic ski Causes serious eye dama May cause respiratory irr sements	in reaction. age.	n.	
2.2.	Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335 Full text of all classifi Most serious adver Causes skin irritation Label elements Hazard pictogram Signal word Danger Hazardous substan Portland cement Hazard statements H315 H317 H318 H335 Precautionary state P101	Tications and hazard statement rse effects on human heal n. May cause an allergic skin Toces Causes skin irritation. May cause an allergic ski Causes serious eye dama May cause respiratory irritements If medical advice is need	Ith and the environment reaction. Causes serious eye damage. May cause respiratory irritatio in reaction. age. ritation. led, have product container or label at hand.	n.	
2.2.	Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335 Full text of all classifi Most serious adver Causes skin irritation Label elements Hazard pictogram Signal word Danger Hazardous substan Portland cement Hazard statements H315 H317 H318 H335 Precautionary state P101 P102	Tications and hazard statement rse effects on human health h. May cause an allergic skin Toces S Causes skin irritation. May cause an allergic skin Causes serious eye daman May cause respiratory irritements If medical advice is need Keep out of reach of child	Ith and the environment reaction. Causes serious eye damage. May cause respiratory irritatio in reaction. age. ritation. led, have product container or label at hand. dren.	n.	
2.2.	Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335 Full text of all classifi Most serious adver Causes skin irritation Label elements Hazard pictogram Signal word Danger Hazardous substan Portland cement Hazard statements H315 H317 H318 H335 Precautionary state P101	Tications and hazard statement rse effects on human health h. May cause an allergic skin Toces Causes skin irritation. May cause an allergic skin Causes serious eye daman May cause respiratory irritements If medical advice is need Keep out of reach of child Wear protective gloves/p IF IN EYES: Rinse cautio	in reaction. age. ritation. led, have product container or label at hand. dren. protective clothing/eye protection. posly with water for several minutes. Remove contact lenses, if pres		
2.2.	Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335 Full text of all classifi Most serious adver Causes skin irritation Label elements Hazard pictogram Signal word Danger Hazardous substan Portland cement Hazard statements H315 H317 H318 H335 Precautionary state P101 P102 P280 P305+P351+P338	Tications and hazard statement rse effects on human health h. May cause an allergic skin Causes an allergic skin Causes skin irritation. May cause an allergic skin Causes serious eye dama May cause respiratory irritements If medical advice is need Keep out of reach of childo Wear protective gloves/p IF IN EYES: Rinse cautio easy to do. Continue rins	in reaction. age. itation. led, have product container or label at hand. dren. protective clothing/eye protection. posly with water for several minutes. Remove contact lenses, if pressing.		
2.2.	Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335 Full text of all classifi Most serious adver Causes skin irritation Label elements Hazard pictogram Signal word Danger Hazardous substan Portland cement Hazard statements H315 H317 H318 H335 Precautionary state P101 P102 P280 P305+P351+P338 P310	Tications and hazard statement rse effects on human heal h. May cause an allergic skin Causes an allergic skin Causes skin irritation. May cause an allergic ski Causes serious eye dama May cause respiratory irr tements If medical advice is need Keep out of reach of child Wear protective gloves/p IF IN EYES: Rinse cautio easy to do. Continue rins Immediately call a POISC	in reaction. age. itation. led, have product container or label at hand. dren. protective clothing/eye protection. posly with water for several minutes. Remove contact lenses, if pressing. ON CENTER or doctor/physician.		
2.2.	Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335 Full text of all classifi Most serious adver Causes skin irritation Label elements Hazard pictogram Signal word Danger Hazardous substan Portland cement Hazard statements H315 H317 H318 H335 Precautionary state P101 P102 P280 P305+P351+P338 P310 P302+P352	Tications and hazard statement rse effects on human heal n. May cause an allergic skin Causes an allergic skin Causes skin irritation. May cause an allergic ski Causes serious eye dama May cause respiratory irr tements If medical advice is need Keep out of reach of child Wear protective gloves/p IF IN EYES: Rinse cautio easy to do. Continue rins Immediately call a POISO IF ON SKIN: Wash with p	in reaction. age. ritation. led, have product container or label at hand. dren. protective clothing/eye protection. pusly with water for several minutes. Remove contact lenses, if pres sing. ON CENTER or doctor/physician. plenty of water and soap.		
2.2.	Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335 Full text of all classifi Most serious adver Causes skin irritation Label elements Hazard pictogram Signal word Danger Hazardous substan Portland cement Hazard statements H315 H317 H318 H335 Precautionary state P101 P102 P280 P305+P351+P338 P310	Tications and hazard statement rse effects on human heal h. May cause an allergic skin Causes an allergic skin Causes skin irritation. May cause an allergic ski Causes serious eye dama May cause respiratory irr tements If medical advice is need Keep out of reach of child Wear protective gloves/p IF IN EYES: Rinse cautio easy to do. Continue rins Immediately call a POISO IF ON SKIN: Wash with p	in reaction. age. itation. led, have product container or label at hand. dren. protective clothing/eye protection. posly with water for several minutes. Remove contact lenses, if pressing. ON CENTER or doctor/physician.		

	SAFE	TY DATA SHEET		RAKO
	according to Commissi	on Regulation (EU) 2020/878 as	amended	SYSTEM
	F	AKO GF DRY		
Creation date	2017.03.20			
Revision date	2023.07.31	Version	3	

2.3. Other hazards

The mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

The mixture does not contain any substance identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 1317-65-3 EC: 215-279-6	Limestone	10-70		1
CAS: 65997-15-1 EC: 266-043-4	Portland cement	25-40	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Dam. 1, H318 STOT SE 3, H335	1
CAS: 544-17-2 EC: 208-863-7	Calcium formate	1-2	Eye Dam. 1, H318	
CAS: 68475-76-3 EC: 270-659-9	Flue dust, portland cement	1-2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 STOT SE 3, H335	
Index: 022-006-00-2 CAS: 13463-67-7 EC: 236-675-5	Titanium dioxide	<1	Carc. 2, H351 (inhalation)	1,6
CAS: 1305-62-0 EC: 215-137-3	Calcium hydroxide	<0,05	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335	1
Index: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5	Caustic soda	<0,01	Skin Corr. 1A, H314 Specific concentration limit: Skin Corr. 1B, H314: 2 % \leq C < 5 % Skin Corr. 1A, H314: C \geq 5 % Eye Irrit. 2, H319: 0,5 % \leq C < 2 % Skin Irrit. 2, H315: 0,5 % \leq C < 2 %	1
Index: 024-001-00-0 CAS: 1333-82-0 EC: 215-607-8	Chromium (VI) trioxide	<0,00008	Ox. Sol. 1, H271 Acute Tox. 3, H301, H311 Skin Corr. 1A, H314 Skin Sens. 1, H317 Acute Tox. 2, H330 Resp. Sens. 1, H334 Muta. 1B, H340 Carc. 1A, H350 Repr. 2, H361f STOT RE 1, H372 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1) Specific concentration limit: STOT SE 3, H335: $C \ge 1$ %	1, 2, 3 ,4, 5

Notes

1 Substance with a Union workplace exposure limit.

2 Substance of very high concern - SVHC.

3 The substance is included in Annex XIV of the REACH Regulation

4 The use of the substance is restricted by Annex XVII of REACH Regulation

according to Commission Regulation (EU) 2020/878 as amended

RAKO GF DRY				
Creation date	2017.03.20			
Revision date	2023.07.31	Version	3	

5 Acute toxicity estimate (ATE): oral 100 mg/kg; dermal 300 mg/kg; inhalation (gas) 100 ppmV; inhalation (vapours) 0,5 mg/l; inhalation (dust/mist) 0,05 mg/l

6 The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter \leq 10 µm.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Do not rub your eyes – it could lead to mechanical damage of the cornea. Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

DO NOT INDUCE VOMITING! Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling dust can cause corrosion of the breathing system. May cause respiratory irritation.

If on skin

May cause an allergic skin reaction.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Not known.

5.2. Special hazards arising from the substance or mixture

Emergency procedures are not required.

5.3. Advice for firefighters

No need for special protective equipment for fire fighters. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale dust. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Collect the spillage in a dry state if possible through manual or mechanical means that avoide dust formation. Dispose of the collected material according to the instructions in the section 13.

according to Commission Regulation (EU) 2020/878 as amended

RAKO
SYSTEM

RAKO GF DRY

Creation date Revision date

2023.07.31

2017.03.20

Version

3

6.4. **Reference to other sections**

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale dust. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

- 7.2. Conditions for safe storage, including any incompatibilities
- Store in original closed packaging in dry area. 7.3.
 - Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

The mixture contains substances for which occupational exposure limits are set.

European Union			Commission Directive (EU) 2017/164	
Substance name (component)	Туре	Value	Note	
Calcium hydroxide (CAS: 1305-62-0)	OEL 8 h	1 mg/m ³	respirable fraction	
	OEL 15 min	4 mg/m ³		

Hungary			5/2020. (II. 6.) ITM commision
Substance name (component)	Туре	Value	Note
Limestone (CAS: 1317-65-3)	ÁK 8h	10 mg/m ³	
Portland cement (CAS: 65997-15-1)	ÁK 8h	10 mg/m ³	inhalable dust
Titanium dioxide (CAS: 13463-67-7)	ÁK 8h	10 mg/m ³	total inhalable
	ÁK 8h	6 mg/m³	respirable
Calcium hydroxide (CAS: 1305-62-0)	ÁK 8h	1 mg/m ³	respirable
Calcium nyuroxide (CAS: 1505-62-0)	СК	4 mg/m ³	respirable
Caustic soda (CAS: 1310-73-2)	ÁK 8h	2 mg/m ³	caustic material
	CK	2 mg/m ³	
Chromium (VI) trioxide (CAS: 1333-82-0)	ÁK 8h	0,01 mg/m ³	Cr (VI) inorganic compounds

8.2. **Exposure controls**

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product (nitril). When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Use a mask with anti-dust filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation. Recommended type: FFP2

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1.	Information on basic physical and chemical properties				
	Physical state	solid at 20 °C			
	Colour	various			
	Odour	odourless			
	Melting point/freezing point	data not available			
	Boiling point or initial boiling point and boiling range	not applicable			

according to Commission Regulation (EU) 2020/878 as amended



RAKO GF DRY

Creatio	n date 201	7.03.20			
Revisio	n date 202	23.07.31	Version		3
	Flammability		not flammab	le	
	Lower and upper explosion li	mit	not applicabl	e	
	Flash point		not applicabl	e	
	Auto-ignition temperature		not applicabl	e	
	Decomposition temperature		not applicabl	e	
	pH		11,0-12,5	(in water (70-8	80 w/w%; 20 °C))
	Kinematic viscosity		not applicabl	e	
	Solubility in water		slightly solub	ole	
	Partition coefficient: n-octand	ol/water (log value)	not applicabl	e	
	Vapour pressure		not applicabl	e	
	Density and/or relative densi	ty	1,3-1,8 g/cm	3	
	Relative vapour density		not applicabl	e	
	Particle characteristics		0,03 ± 0,05	mm (volume	e-based)
	Density		1,3-1,8 g/cm	13	
9.2.	Other information				
	No data				

SECTION 10: Stability and reactivity

10.1. Reactivity

- When mixed with water, mixture will harden within a couple of hours.
- 10.2. Chemical stability
- The product is stable under normal conditions.
- **10.3.** Possibility of hazardous reactions Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Avoid humid conditions during storage.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

May cause respiratory irritation.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

	SAFETY DATA SHEET according to Commission Regulation (EU) 2020/878 as amended	RAKO SYSTEM
	RAKO GF DRY	
Creation date	2017.03.20	

Version

3

Aspiration hazard

Based on available data the classification criteria are not met.

2023.07.31

11.2. Information on other hazards

Endocrine disrupting properties

Based on available data the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Revision date

Acute toxicity

Data for the mixture are not available.

12.2. Persistence and degradability

Data not available.

12.3. Bioaccumulative potential

- Not available.
- 12.4. Mobility in soil
 - Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

Mixture does not contain any substance identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. The spilled material can be reused after collected in dry state. After mixing with water the product hardens and can be disposed as construction (concrete) waste. Empty bags may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

- 170101 concrete
- 170107 mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
- 170904 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03

Packaging waste type code

150102 plastic packaging

150110 packaging containing residues of or contaminated by hazardous substances *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

- 14.1. UN number or ID number
 - not subject to ADR
- **14.2.** UN proper shipping name not available
- 14.3. Transport hazard class(es)
- not available 14.4. Packing group not available
- 14.5. Environmental hazards not available
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.

	SAFETY DATA SHEET			
	according to Commission	on Regulation (EU) 2020/878 as	amended	SYSTEM
	R	AKO GF DRY		
Creation date	2017.03.20			
Revision date	2023.07.31	Version	3	

14.7. Maritime transport in bulk according to IMO instruments not available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Environmental Protection Act 1990 as amended. Clean Air Act 1993 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard ris	k phrases used in the safety data sheet
H-	not classified as dangerous
H271	May cause fire or explosion; strong oxidiser.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H351	Suspected of causing cancer if inhaled.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Guidelines for safe h	andling used in the safety data sheet
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves/protective clothing/eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P261	Avoid breathing dust.
P501	Dispose of contents/container to according to applicable regulations.
Other important info	rmation about human health protection

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

•	•
ADR	European agreement concerning the international carriage of dangerous goods by road
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC	Identification code for each substance listed in EINECS
EC50	Concentration of a substance when it is affected 50% of the population

according to Commission Regulation (EU) 2020/878 as amended



Revision date2023EINECSEuropeEUEuropeEuPCSEuropeICsoConcerIMOInternLCsoLethalLDsoLethalLOAECLowest	ean Union ean Product Categorisation ntration causing 50% block ational Maritime Organiz concentration of a subst dose of a substance in w t observed adverse effect t observed adverse effect ol-water partition coeffic	ockade zation tance in which it can be expe which it can be expected dea ct concentration ct level	3 stances bected death of 50% of the population ath of 50% of the population				
EINECSEuropeEUEuropeEuPCSEuropeIC50ConcerIMOInternoLC50LethalLD50LethalLOAECLowest	ean Inventory of Existing ean Union ean Product Categorisati ntration causing 50% blo ational Maritime Organiz concentration of a subst dose of a substance in v t observed adverse effec t observed adverse effec ol-water partition coeffic	g Commercial Chemical Subs on System ockade zation tance in which it can be expe which it can be expected dea t concentration t level	stances bected death of 50% of the population				
EUEuropeEuPCSEuropeIC50ConcelIMOInternLC50LethalLD50LethalLOAECLowest	ean Union ean Product Categorisation ntration causing 50% block ational Maritime Organiz concentration of a subst dose of a substance in w t observed adverse effect t observed adverse effect ol-water partition coeffic	on System ockade zation tance in which it can be expe which it can be expected dea t concentration t level	ected death of 50% of the population				
EUEuropeEuPCSEuropeIC50ConcelIMOInternLC50LethalLD50LethalLOAECLowest	ean Union ean Product Categorisation ntration causing 50% block ational Maritime Organiz concentration of a subst dose of a substance in w t observed adverse effect t observed adverse effect ol-water partition coeffic	on System ockade zation tance in which it can be expe which it can be expected dea t concentration t level	ected death of 50% of the population				
IC50ConcerIMOInternLC50LethalLD50LethalLOAECLowest	ntration causing 50% blo ational Maritime Organiz concentration of a subst dose of a substance in v t observed adverse effec t observed adverse effec ol-water partition coeffic	ockade zation tance in which it can be expe which it can be expected dea ct concentration ct level					
IC50ConcertIMOInternLC50LethalLD50LethalLOAECLowest	ntration causing 50% blo ational Maritime Organiz concentration of a subst dose of a substance in v t observed adverse effec t observed adverse effec ol-water partition coeffic	ockade zation tance in which it can be expe which it can be expected dea ct concentration ct level					
LC₅o Lethal LD₅o Lethal LOAEC Lowest	concentration of a subst dose of a substance in v t observed adverse effec t observed adverse effec ol-water partition coeffic	tance in which it can be expe which it can be expected dea ct concentration ct level					
LD50 Lethal LOAEC Lowest	dose of a substance in v t observed adverse effec t observed adverse effec ol-water partition coeffic	which it can be expected dea t concentration t level					
LOAEC Lowest	t observed adverse effec t observed adverse effec ol-water partition coeffic	t concentration t level	ath of 50% of the population				
	t observed adverse effec ol-water partition coeffic	t level					
	ol-water partition coeffic						
	•		Lowest observed adverse effect level				
5		Octanol-water partition coefficient					
	No observed adverse effect concentration						
NOAEL No obs	No observed adverse effect level						
	No observed effect concentration						
NOEL No obs	No observed effect level						
OEL Occupa	Occupational Exposure Limits						
	Persistent, Bioaccumulative and Toxic						
	ted no-effect concentrati						
	per million						
		orisation and Restriction of C	Chemicals				
5			le taken from the UN Model Regulations				
	e organic compounds						
	Persistent and very Bioac	cumulative					
Acute Tox. Acute	toxicity						
	dous to the aquatic envir	ronment					
•	dous to the aquatic envir						
	ogenicity	()					
	is eye damage						
	ritation						
, , , ,	cell mutagenicity						
	ing solid						
	ductive toxicity						
	atory sensitization						
	orrosion						
	ritation						
	Skin Intetion Skin sensitization						
	Specific target organ toxicity - repeated exposure						
•	Specific target organ toxicity - repeated exposure						
	Without classification						
Training guidelines							
	e recommended ways of	f use, mandatory protective	e equipment, first aid and prohibited ways o				
nandling the product.	ofuco						

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.